



Aliseryl WS

*The highly effective combination of
broad-spectrum antibiotics and vitamins*



*Reduce early chick mortality
Excellent choice for mixed infections
Improve Feed Conversion Ratio (FCR)
and maintain peak egg production*

Aliseryl WS


Powder for oral administration

Aliseryl WS is a highly effective combination of broad-spectrum antibiotics and vitamins. Colistin is an antibiotic from the group of polymyxins with a bactericidal action against Gram-negative bacteria like *E. coli*, *Haemophilus* and *Salmonella*. Since colistin is absorbed for a very small part after oral administration only gastrointestinal indications are relevant. Oxytetracycline belongs to the group of tetracyclines and acts bacteriostatic against many Gram-positive and Gram-negative bacteria like *Bordetella*, *Campylobacter*, *Chlamydia*, *E. coli*, *Haemophilus*, *Mycoplasma*, *Pasteurella*, *Rickettsia*, *Salmonella*, *Staphylococcus* and *Streptococcus* spp. The action of oxytetracycline is based on inhibition of bacterial protein synthesis. Oxytetracycline is mainly excreted in urine, for a small part in bile and in lactating animals in milk. Erythromycin is a macrolide that acts bacteriostatic against mainly Gram-positive bacteria like *Staphylococcus* and *Streptococcus* spp. Streptomycin is an aminoglycoside with a bactericidal action against mainly Gram-negative bacteria like *E. coli*, *Klebsiella*, *Pasteurella* and *Salmonella* spp. and *Mycoplasma*. Vitamins are essential for the proper operation of several physiological functions.

CONTAINS PER GRAM POWDER

Erythromycin thiocyanate	35 mg.
Oxytetracycline hydrochloride	50 mg.
Streptomycin sulphate	35 mg.
Colistin sulphate	200 000 IU.
Vitamin A, retinol acetate	3 000 IU.
Vitamin D ₃ , cholecalciferol	1 500 IU.
Vitamin E, α-tocopherol acetate	2 mg.
Vitamin B ₁ , thiamine hydrochloride	2 mg.
Vitamin B ₂ , riboflavin	4 mg.
Vitamin B ₆ , pyridoxine hydrochloride	2 mg.
Vitamin B ₁₂ , cyanocobalamin	10 µg.
Vitamin C, ascorbic acid	20 mg.
Ca-pantothenate	10 mg.
Vitamin K ₃ , menadione sodium bisulphite	2 mg.
Nicotinamide	20 mg.
Inositol	1 mg.

Stimulates egg production, increases growth, improves feed conversion and is used as vitamin supplement during periods of diseases and stress.



INDICATIONS

Aliseryl WS is a highly effective combination of broad-spectrum antibiotics and vitamins. The product stimulates egg production, increases growth, improves feed conversion and is used as vitamin supplement during periods of diseases and stress. It is effective against gastrointestinal, respiratory and urinary infections caused by colistin, oxytetracycline, erythromycin and streptomycin sensitive micro-organisms, like *Bordetella*, *Campylobacter*, *Chlamydia*, *E. coli*, *Haemophilus*, *Klebsiella*, *Mycoplasma*, *Pasteurella*, *Rickettsia*, *Salmonella*, *Staphylococcus* and *Streptococcus* spp. in calves, goats, sheep, poultry and swine.

DOSAGE

For oral administration.

Poultry and swine:

Prevention: 1 kg per 2000 litres of drinking water for 5 - 7 days.
Treatment: 1 kg per 1000 litres of drinking water for 5 - 7 days.

Calves, sheep and goats:

1 g per 5 kg body weight during 5 - 7 days.

Note: for pre-ruminant calves, lambs and kids only.

WITHDRAWAL TIMES


- For meat : 7 days.
- For eggs : 1 day.

PACKAGING

Sachet of 30 g, 100 g and jar of 1000 g.



sales@interchemie.com | interchemie.com



Manufactured by
Interchemie werken "De Adelaar" B.V.
Metaalweg 8, Venray, The Netherlands

XFWCOES-EN-01-06072020